





Each block needs
2 6.5×9.5 pieced
rectangles and one
3.5" square.

You may piece your
rectangles as you like,
my samples used 6
 1.5×9.5 strips.



Fold a 6.5×9.5
piece of paper in
half twice.
Clip off a tiny, tiny,
tiny, piece of the
folded corner. Open
the paper and you
should have a tiny
hole in the center.

Place the paper on
your 6.5×9.5 inch fabric
rectangle and mark
the center with a
small dot. Remove the
paper. Repeat for
second rectangle.



Place a ruler with a 45° angle so the 45° edge touches the dot. Cut along the 45° degree edge and you will have 2 pieces shaped the same.



Repeat for your second 6.5 x 9.5 inch fabric rectangle. Make sure all your diagonal cuts go the same way.



Paper strip under ruler to help you see better in photo.

Place your 3.5 inch center square right side up. Place one rectangle piece as shown on top of the square, right side down

3.5 inch square is under this corner.

← STITCH ABOUT 2" DOWN









I have made up some more 6.5 by 9.5 inch blocks in different width strips and as soon as I finish those blocks I will post them. I have made the instructions as simple as I could and it is not hard. Total random width strings can be used if you wish.

Remember all 4 edges are on the bias. I will be sashing mine with 10.5 inch length sashing with cornerstones and will stitch with the sashing on top to tame the bias edge with the feed dogs.
Have fun and post pictures!